

Maximized Storage...

...Bona Fide  
Barn Appeal!

# THE TRADITIONAL GAMBREL BARN SERIES



10 x 16  
New England  
Dutch Barn\*



12 x 20 Highwall Barn\*



10 x 16 Dutch Barn\*



10 x 14 Dutch Barn\*



12 x 20 Dutch Barn\*

(\*Details shown on Page 11)



# GAMBREL BARN

## Heavy Duty Vinyl Series

### Features & Benefits

15. High quality kiln dried framing lumber with very few knots and little or no bark. Spaced on 16" centers for framing.\*

2. All shingles are installed with nails.\*

1. GAF/ELK lifetime warranted Architectural Shingles.\*

3. Shingle cuts extended past drip edge.\*

4-5. Wood grain vinyl-coated aluminum trim with double-bent edges.

6. Stainless steel butt hinges.

7. Fiberglass entry door with keyed lock (standard on vinyl buildings).

8. Lifetime warranted Vinyl siding made from 100% Virgin PVC with no additives for fillers.

9. All structural components are fastened with nails.\*

10. Pressure-treated floor joists.\*

Single-hung aluminum windows, complete with shutters and screens to keep out insects.\*


\* Standard feature on both heavy duty vinyl and heavy duty Smart Side/ Duratemp Gambrel Barn series.

## 6-YEAR Top-to-Bottom WARRANTY

Shown: 10 x 14 Dutch Barn  
Clay lifetime vinyl siding, green trim, and green lifetime shingle roof (shown as standard).



All fiberglass doors have rubber door bumpers to protect your doors and building.






13-14. Double top wall plates, interlocking at corners.\*



12. Double studded corners in wall framing.\*

11. 5/8" coated engineered floor sheeting (Smart floor by LP) with zinc borate treatment.\*





## Features:

1. GAF / ELK **lifetime warranted** architectural shingles.
2. All **shingles** are **installed with nails**.
3. Shingle cuts **extended** past drip edge.
4. **Woodgrain vinyl-coated** aluminum trim.
5. Aluminum trim with **double-bent edges**.
6. **Stainless steel butt hinges**.
7. **Fiberglass entry door** (standard on vinyl buildings).
8. **Lifetime warranted Vinyl siding** made from **100% Virgin PVC** with no additives for fillers.
9. All **structural components** are **fastened with nails**.
10. **Pressure-treated floor joists**.
11. **5/8" coated engineered floor sheeting** (Smart floor by LP) with **zinc borate treatment**.
12. **Double studded corners** in wall framing.
13. **Double plated** top wall plates.
14. **Interlocking** top wall plates at corners.
15. **High quality** kiln dried framing lumber with very few knots and little or no bark. Spaced on **16" centers** for framing.

## Yes There IS a Difference! Compare to Other Manufacturers

1. Three-tab shingles with 25 or 30 year warranty, or architectural shingles with lesser sealing qualities, lesser warranties and quality of shingles.
2. Shingles installed with staples.
3. Shingles cut flush with the end of the drip edge. As shingles age they will shrink, exposing the drip edge to rain and snow. When this happens, water will run underneath your shingles and rot out your roof.
4. Flat painted aluminum trim with no wood grain.
5. Edges with no bends that have no protection against buckling.
6. Steel T-hinges that are screwed to the face of the door. These hinges will eventually run rust streaks down over the face of your door.
7. A wood door covered with vinyl siding or a steel entry door. A steel entry door is very easy to dent and if scratched it is impossible to touch up so that it cannot be seen. Steel doors also have exposed wood around the sides which will eventually rot.
8. Many vinyl sidings on the market use fillers such as sand or other by-products to reduce the amount of resins needed to make the siding. This is why many vinyl sidings fade after installation.
9. Staples are commonly used for many construction applications.
10. Regular kiln-dried 2x4 floor joists.
11. Regular plywood or OSB floor sheeting with no manufacturer's warranties.
12. Single-studded corners.
13. Single-plated top wall plates.
14. Wall plates are just butted together and toe-nailed.
15. Lower quality lumber that has not been properly dried will crack, twist or bow as it dries out. Improperly dried wood will also grow mold and fungus.

## Features Benefits:

Discover the  
**VALUE!**

1. GAF / ELK is the best sealing and highest quality shingle we have ever used. The lifetime architectural shingle adds beauty and an extended life to your roof. This shingle has great wind resistance.
2. Shingles installed with nails have a much better holding power and a greater wind resistance.
3. Shingles that are extended past the roof edges allow for shrinkage and preserve your building for decades of use.
4. Beautiful woodgrain vinyl coating; has better fade resistance; is thicker and more rigid, making it buckle-resistant and impact-resistant.
5. Double-bent trim edges have twice the strength, keeping trim more rigid, protecting it from buckling, and providing stronger wind resistance.
6. Stainless steel will never rust. The screws are concealed, making the door burglar-resistant. No screw holes in the face of the door.
7. Fiberglass doors are the most durable doors on the market. Fiberglass doors have a high impact resistance. If ever scratched, they can easily be touched up. Has a beautiful raised panel woodgrain appearance. They will never rust, and all edges are sealed with no wood exposed to the elements. The interior core of the door is insulated with spray foam insulation.
8. You get the peace of mind that your shed has one of the best vinyl sidings on the market. This 100% PVC product is guaranteed not to fade as it ages. It has one of the better wind load and impact resistance ratings on the market.
9. Nails offer more holding power and ensure that your structure will stay as secure as the day it was built.
10. Pressure-treated floor joists add many years of rot-free and termite-resistant protection to your floor. Your building will only last as long as the foundation it is built on.
11. 5/8" engineered sheeting gives you added support needed for riding mowers, ATV's and other heavy storage. This is a solid compressed product, unlike plywood, which may have voids in the plies, causing weak spots or delamination in the floor. Zinc borate treatment is a long-acting preservative against moisture, mold, rodents, and termites. The coated overlay gives you a clean appearance and makes cleanup jobs much easier.
12. Ensures you extra strength and stability at the corners of your structure.
13. Strengthens the walls at a crucial structural point. Keeps your walls from bowing out and ensures that your roof will not sag or bow.
14. The wall plate corners fit together snug like a puzzle, then are nailed thru the top plate into the bottom plate. This ensures you a rock-solid corner joint that will not separate.
15. All wood used is guaranteed to be structurally sound. The inside of your building will have a clean appearance. You will see very little, if any imperfections on the lumber. We guarantee termite-free and mold-free wood. 2x4's are spaced on 16" centers for a solid structure.



# GAMBREL BARN

## Heavy Duty Smart Side /Duratemp Series

### Features & Benefits

15. High quality kiln dried framing lumber with very few knots and little or no bark. Spaced on 16" centers for framing.\*

\* Standard feature on both heavy duty vinyl and heavy duty Smart Side/Duratemp Peak series.

13-14. Double top wall plates, interlocking at corners.\*

12. Double studded corners in wall framing.\*

11. 5/8" coated engineered floor sheathing (Smart floor by LP) with zinc borate treatment.\*

10. Pressure-treated floor joists.\*

9. All structural components are fastened with nails. All exterior nails are galvanized to ensure no rust spots on the exterior of the building.

8-8a. LP Smart Side® (our preferred choice) with a 50-year warranty against splitting, cracking, delamination and face defects. This product has a coated finish on the interior side. Available in 22 colors\*\*.

\*\* Also available: Fir Duratemp plywood siding with a hardboard exterior face. (Also available in 22 colors).  
a. Siding panels are factory pre-primed.

## 6-YEAR Top-to-Bottom WARRANTY

1. GAF/ELK lifetime warranted Architectural Shingles.\*

2. All shingles are installed with nails.\*

3. Shingle cuts extended past drip edge.\*

4. Three-inch roof overhang on eave side over double doors.

5. Two coats of high quality latex paint with 12-year warranty against peeling, fading, or blistering.

6. Continuous aluminum piano hinge.

7. 2x4 door frames, set on edge for better support.

Shown: 12 x 20 Dutch Barn  
Clay Smart Side siding, avocado trim, and barkwood lifetime shingle roof  
Shown with Z-shutters and optional 10' aluminum ridge vent



## Features:

1. GAF / ELK **lifetime warranted** architectural shingles.
2. All **shingles** are **installed with nails**.
3. Shingle cuts **extended** past drip edge.
4. **3" roof overhang** on eave side over double doors.
5. **2 coats of high quality latex paint** with **12-year warranty** against peeling, fading, or blistering.
6. **Continuous aluminum piano hinge**.
7. **2 x 4 door frames**, set on edge for better support.
8. **LP Smart Side®**, (our preferred choice) with a **50 year warranty** against splitting, cracking, delamination and face defects. This product has a **coated finish on the interior side**. Also available: Fir Duratemp plywood siding with a hardboard exterior face. Both are available in 22 colors.
- 8a. **Siding panels are factory pre-primed**.
9. All **structural components** are **fastened with nails**. All **exterior nails** are **galvanized** to ensure no rust spots on the exterior of the building.
10. **Pressure-treated floor joists**.
11. **5/8" coated engineered floor sheeting** (Smart floor by LP) with **zinc borate treatment**.
12. **Double studded corners** in wall framing.
13. **Double plated** top wall plates.
14. **Interlocking** top wall plates at corners.
15. **High quality** kiln dried framing lumber with very few knots and little or no bark. Spaced on **16" centers** for framing.

## Yes There IS a Difference! Compare to Other Manufacturers

1. Three-tab shingles with 25 or 30 year warranty, or architectural shingles with lesser sealing qualities, lesser warranties and quality of shingles.
2. Shingles installed with staples.
3. Shingles cut flush with the end of the drip edge. As shingles age they will shrink, exposing the drip edge to rain and snow. When this happens, water will run underneath your shingles and rot out your roof.
4. Roof edge flush or with no overhang.
5. Lesser quality paints that may not have fade resistant qualities or warranties.
6. Steel T-hinges that will eventually rust.
7. 2 x 3 or 2 x 4 door frames laid flat. In some cases, no door frames.
8. Regular plywood-type T-111 with a non-coated exterior finish. As this product ages, it will actually wick moisture, causing separation and delamination to the entire panel.
- 8a. Unprimed exterior siding products.
9. Staples are commonly used for many construction applications.
10. Regular kiln-dried 2x4 floor joists.
11. Regular plywood or OSB floor sheeting with no manufacturer's warranties.
12. Single-studded corners.
13. Single-plated top wall plates.
14. Wall plates are just butted together and toe-nailed.
15. Lower quality lumber that has not been properly dried will crack, twist or bow as it dries out. Improperly dried wood will also grow mold and fungus.

## Features Benefits:

Discover the  
**VALUE!**

1. GAF / ELK is the best sealing and highest quality shingle we have ever used. The lifetime architectural shingle adds beauty and an extended life to your roof. This shingle has great wind resistance.
2. Shingles installed with nails have a much better holding power and a greater wind resistance.
3. Shingles that are extended past the roof edges allow for shrinkage and preserve your building for decades of use.
4. Protects against door and trim rot by preventing rain from entering the top of the doors, and by preventing ice or snow build-up above doors.
5. No body likes to paint! Our coatings will last years longer than most of the latex paints on the market today. You have the peace of mind of knowing that your building will keep its original beauty for many years.
6. The piano hinge has continuous support along the entire door. It is fully aluminum and will never rust. Unlike T-hinges, the fasteners are covered by trim, making it burglar-resistant.
7. 2 x 4's set on edge will keep your doors rigid, discouraging the top of your doors from bowing out and being open to the elements, and also keeping the bottom of doors tight to discourage entry of unwelcome critters.
8. LP SmartSide is designed to withstand many years of exposure to the environment (50 year warranty). With a warranty like this you can't go wrong! This is an engineered product with zinc borate treatment (a long-acting treatment against moisture, mold and termites). The interior of this siding has a coating which gives your interior a consistent appearance. Fir Duratemp plywood siding has a hardboard exterior finish, which is insect and moisture repellent.
- 8a. Factory pre-primed panels add another layer of protection against Mother Nature. It also improves the quality of paint finish on your building.
9. Nails offer more holding power and ensure that your structure will stay as secure as the day it was built.
10. Pressure-treated floor joists add many years of rot-free and termite-resistant protection to your floor. Your building will only last as long as the foundation it is built on.
11. 5/8" engineered sheeting gives you added support needed for riding mowers, ATV's and other heavy storage. This is a solid compressed product, unlike plywood, which may have voids in the plys, causing weak spots or delamination in the floor. Zinc borate treatment is a long-acting preservative against moisture, mold, rodents, and termites. The coated overlay gives you a clean appearance and makes cleanup jobs much easier.
12. Ensures you extra strength and stability at the corners of your structure.
13. Strengthens the walls at a crucial structural point. Keeps your walls from bowing out and ensures that your roof will not sag or bow.
14. The wall plate corners fit together snug like a puzzle, then are nailed thru the top plate into the bottom plate. This ensures you a rock-solid corner joint that will not separate.
15. All wood used is guaranteed to be structurally sound. The inside of your building will have a clean appearance. You will see very little, if any imperfections on the lumber. We guarantee termite-free and mold-free wood. 2x4's are spaced on 16" centers for a solid structure.



## GAMBREL BARN SERIES MINI BARN

Mini Barns include 1 double door and 1 window (18" x 23"). (Single 36" entry door with 6' wide buildings). This series is built to our heavy duty specs. (For a lighter built, more economically priced unit, refer to our Madison Series).



Shown at left: **10 x 12 Heavy Duty Mini Barn**  
Beige Duratemp siding with chestnut trim and barkwood lifetime shingles.

Shown at left: **10 x 12 Heavy Duty Mini Barn**  
Sand lifetime vinyl siding, clay trim, and shakewood lifetime shingle roof. Optional 12" x 12" gable vents.



## GAMBREL BARN SERIES HIGHWALL BARN

Highwall Barns are not quite as tall as Dutch Barns, but still give you plenty of room for overhead storage.

Highwall Barns include 1 double door and 1 window (18" x 23"). (Doors only available in gable end. Single 36" entry door with 6' wide buildings). This series is built to our heavy duty specs. (For a lighter built, more economically priced unit, refer to our Madison Series).

70" Interior Wall



Shown at left: **12 x 20 Highwall Barn**  
Beige Smart Side siding with buckskin trim and shakewood lifetime shingles. Optional 12" x 12" gable vents.

## GAMBREL BARN SERIES DUTCH BARN

With an arch-type roof truss system, Dutch Barns (*aka Workhorse of Storage*) offer you the most cubic storage inches for your investment. 76" tall walls accommodate hanging tools or bikes along the sides. Wall space can also be utilized by installing optional shelving for smaller items.

An additional 42" of storage space is available in the rafters, which is great for ladders or lumber storage. We can also install overhead lofts, which are great for storing seasonal items (winter tires, pool supplies, seasonal ornaments, old files) and all that other good stuff you may use someday!

Available in 5 siding choices—T-111 type, lifetime vinyl, board 'n' batten, cedar shiplap, or log siding.




Shown at left: **12 x 20 Dutch Barn**  
Light Gray Smart Side siding, white trim, and oyster grey lifetime shingle roof. Optional 12" x 12" gable vents, 24" x 36" windows, and extra 36" single door.

Shown above: **12 x 24 Dutch Barn**  
Clay Smart Side siding, red trim and shutters, and weatherwood lifetime shingle roof. Optional diamond plate tread, 12" x 12" gable vents, and Z-shutters.

Dutch Barns include 1 double door and 2 windows (18" x 36"). Doors can be placed either on gable end or side wall. This series is built to our heavy duty specs. (For a lighter built, more economically priced unit, refer to our Madison Series).

Shown at right: Standard Layout

**10 x 14 Dutch Barn**  
Beige Smart Side siding, buckskin trim, and weatherwood shingle roof. Optional 12" x 12" gable vents and Z-shutters.



Standard Layout



**Vast Storage—560 Square Feet of Storage at an Affordable Price!**

Shown at right: **14 x 40 Dutch Barn**  
Beige Smart Side siding, clay trim, and shakewood lifetime shingle roof. Optional 12" x 12" gable vents, 24" x 36" windows, and extra 6' x 6' double door.







Shown above: **10 x 16 Dutch Barn**  
Clay lifetime vinyl siding, sand trim, red raised panel shutters and weatherwood lifetime shingle roof.  
Optional shingle-over ridge vent and raised panel shutters.



Shown above: **12 x 24 Dutch Barn (With Front Entrance)**  
Clay lifetime vinyl siding, red trim & shutters and charcoal lifetime shingle roof.  
Optional extra 36" fiberglass single door and 24" x 36" windows.




Shown above: **12 x 24 Dutch Barn (With Front Entrance)**  
Sand lifetime vinyl siding, clay trim, green shutters and charcoal lifetime shingle roof.  
Optional extra 36" fiberglass single door and 24" x 36" windows.

## DUTCH BARN SPACE SAVER/WORKSHOP COMBO

*Ever Dream of an Organized Workshop?*

6 x 6 double door


36" entry door



### 12 x 20 Dutch Barn Workshop/Spacesaver Combo Package

Shown with Buckskin Smart Side siding, beige trim, burgundy shutters, and weatherwood lifetime shingle roof.  
Optional aluminum ridge vent and diamond plate tread.  
(Two 24" x 27" windows standard with package.)

Two 4 ft. lofts  
(1 at each end)



Three 24" wide shelves on one end and around corner to workbench

19 feet of workbench with pegboard and shelves installed above workbench.

Two 24 x 27 windows



12 x 20 Space Saver/Workshop Combo **Includes Over 232 Square Feet of Shelving and Lofts**  
**Plus 19' of Workbench** (Available in any siding type.)


## DUTCH BARN ORGANIZER PACKAGE

More than **Double Your Square Footage Storage Area** for **Less than 1/3 of the Cost** of your Building!

6 x 6 double door

Two 24 x 36 windows


36" entry door



### 12 x 20 Dutch Barn Organizer Package

Shown with Beige Smart Side siding, buckskin trim, and weatherwood shingle roof. Optional 12" x 12" gable vents.

Two 4 ft. lofts  
(1 at each end)



16" wide shelves in front remainder of building

24" wide shelves in rear 8' of building

12 x 20 Organizer Package **Includes Over 300 Square Feet of Shelving and Lofts!**  
(Available in any siding type.)



## GAMBREL BARN SERIES NEW ENGLAND DUTCH BARN

A step up in class from the standard Dutch Barn, the New England Dutch Barn style has neat eye appeal. The upgraded features include transom windows in the doors, antique-style hinges, wide gable face board, and wider trim overall.



Shown at left:  
**10 x 16  
New England  
Dutch Barn**  
Buckskin Smart  
Side siding with  
beige trim &  
doors, burgundy  
shutters, and  
shakewood life-  
time shingles.



Shown above: **12 x 24 New England Dutch Barn**  
Beige Smart Side siding with buckskin trim & doors, avocado shutters, and weatherwood lifetime shingles.  
Optional 12" x 16" arch-top wood gable vents, extra 36" single door with transom window, and diamond plate tread at doors.


*Step Up in Class...*

## GAMBREL BARN SERIES SOUTHERN BELLE DUTCH BARN

A structure with appealing architecture, the Southern Belle Dutch Barn style features bell-bottom roof eaves and pointed gable overhangs.

Southern Belle Dutch Barns include 1 double door and 2 windows (24" x 36"). Doors can be placed either on gable end or side wall. This series is built to our heavy duty specs. (For a lighter built, more economically priced unit, refer to our Madison Series).

*...Appealing Architecture!*



Shown at left:  
**12 x 24 Southern Belle**  
Board 'n Batten siding with charcoal stain and weatherwood shingles.  
Optional extra 36" door, windows with wooden sash, one extra window, and two wooden gable vents with screens.



Shown at left:  
**10 x 14  
Southern Belle**  
Cedar siding with clear stain and barkwood shingles.  
Optional extra 36" door, windows with wooden sash, and shingle-over ridge vent.

Shown at right:  
**10 x 16  
Southern Belle**  
White vinyl siding, light gray trim, black shutters, and charcoal shingle roof. Optional cupola.





## GAMBREL BARN SERIES YOU DREAM IT —WE BUILD IT!



### Space Saver/Workshop Combo

These interior photos show just a few of the possibilities!



The Possibilities are Endless  
With Any Building Style!

Dutch Barns can be designed for any use you can imagine, including general storage, man caves, getaway cabins, workshops, garages, clubhouses, concession stands, pet shelters, ATV/golf cart storage, home office, or sales office. Design your own combination of any of the above!

Choose your colors and layout at no additional charge. Door and window placement can also be changed at no extra cost.

We can install shelving, lofts, workbenches, and pegboard. Various electrical packages are available for any structure.

Shelves and lofts are an inexpensive alternative to substantially increase your storage capacity, and keep your storage structure or workshop organized.

Many upgrades are available, including additional doors, larger doors, garage doors, additional windows, larger windows, venting choices, ramps, floor edge protectors in doorways, insulation, interior finishing, and much more. Your sales representative will be able to help you design your building for your use requirements.

Shown at left:

### Dutch Barn 10 x 16

Classic sand vinyl siding, clay trim, and weather-wood shingle roof.

Optional extra double door, larger 18" x 36" windows, ramp, and two gable vents.



Shown above: **Southern Belle 12 x 20**

Linen vinyl siding, green trim, and green shingle roof. Optional stone front, reverse gable dormer, carriage house doors, arch-top windows with wooden sash and arch-top wood vents.



Shown above: **Southern Belle 10 x 20**

Log siding with clear stain, green doors and windows, and dark green shingles. Optional partial stone front, reverse gable dormer, carriage house doors, arch-top windows with wooden sash, and arch-top wood vents.



Shown above: **Dutch Barn 12 x 32**

Duratemp siding with charcoal stain, red trim, and red metal roof. Optional porch, barn timber gable facade, and double windows.



## FIVE SIDING CHOICES

Many Colors Available  
(See color chart for color availability)




LP Smart Side/Duratemp



Vinyl



Board 'n' Batten



Log




Cedar

## GENERAL SPECS

Delivered fully finished, ready to use, to your specifications and color choices.

*Discover the*  
**VALUE!**



### 1. Framing Specs:

All framing components are made of high quality, kiln dried 2x4's to ensure that your framing lumber will not twist or bow. We guarantee clean, termite-free and mold-free wood, with a beautiful appearance. All framing on our heavy duty buildings consists of 2x4's spaced on 16" center for walls and roof (with the exception of the walls on board 'n' batten sided buildings, where 2x4's run horizontally on 24" centers).

### 2. Roof Sheathing:

Standard roof sheathing is 7/16" OSB or 1/2" CDX plywood. (Standard product will vary by sales location). You have a choice of which product you want installed on your roof.

### 3. Shingle Roof:

Choose from 7 standard colors, or exact matching is also available. Architectural shingles are standard, and carry a lifetime warranty. Drip edge is used on all roof edges. (We recommend adding a ridge vent to eliminate fumes and intense heat buildup in the roof of your structure). We also offer metal roofing.

### 4. Exterior Sheathing/Siding Combination:

For T-111 buildings: Our standard wall sheathing/siding for T-111 style buildings is LP Smart Side® which carries a 50-year warranty against splitting, cracking, or delamination. We recommend this product for durability. We also offer a fir plywood-based product called Duratemp®. Both products are available in 22 colors. (Standard product will vary by sales locations. Ask your sales rep which product is best for your application.)

### 5. Wall Sheathing:

For vinyl, cedar, or log-sided buildings: Our standard wall sheathings (underneath these siding applica-

tions) are 7/16" OSB or 1/2" CDX plywood. (Standard product will vary by sales location. You have a choice of which product you want installed underneath your siding.)

### 6. Vinyl Siding:

Standard vinyl siding (4 1/2" Dutch lap) carries a lifetime manufacturer's warranty. Available in 8 standard colors and 15 optional colors. You also have the option of exactly matching your house siding.

### 7. Wood Siding:

Board 'n' Batten, log, and cedar siding comes with 5 stain choices.

### 8. Windows:

LP Smart Side®, Duratemp®, and vinyl-sided buildings are standard with aluminum single-hung windows with screens. (Shutters are standard with all aluminum windows). Standard window size choices are 18" x 23" or 18" x 36".

Board 'n' Batten, log-sided and cedar-sided buildings are standard with rustic hand-made wood square-top windows. (Wood windows do not include shutters). Window size choices are 25" x 28" or 24" x 36" single-hung.

### 9. Doors:

All wood-sided buildings (LP Smart Side®, Duratemp®, Board 'n' Batten, Cedar, or Log) include doors with matching siding. All vinyl-sided buildings are standard with a fiberglass raised-panel door.

#### Standard door sizes:

6' wide building—36"

8' wide building—48"

10' wide building—60"

12 & 14" wide buildings—72"

*(Doors and windows can be placed wherever you prefer at no additional cost.)*



**\*Sheds shown on Front Page:**

**10 x 16 New England Dutch Barn**

Shown with beige Smart Side siding, buckskin trim & doors, avocado shutters, and shakewood lifetime shingle roof. Standard New England Dutch package shown. (Two 18" x 36" windows and transom windows in door standard).

**12 x 20 Highwall Barn**

Shown with beige Smart Side siding, buckskin trim, and lifetime shakewood shingle roof. Optional 12" x 12" gable vents. (One 18" x 23" window standard).

**10 x 16 Dutch Barn**

Shown with light grey Smart Side siding, white trim, black Z-shutters, and charcoal lifetime shingle roof. Optional 12" x 12" gable vents. (Two 18" x 36" windows standard).

**10 x 14 Dutch Barn**

Shown with sand lifetime vinyl siding, white trim, green shutters, and shakewood lifetime shingle roof. Optional aluminum ridge vent. (Two 18" x 36" windows standard).

**12 x 20 Dutch Barn**

Shown with clay lifetime vinyl siding, red trim, and weather-wood lifetime shingle roof. Optional shingle-over ridge vent and extra 36" single entry door. (Two 18" x 36" windows standard).

**SHED  
DELIVERY  
MULE**

Ask your sales rep about the shed delivery mule if you are concerned about property damage caused by the delivery truck and trailer, or tight access where a truck may be unable to go.



**Mule Facts:**

- Minimizes yard damage, even in wet yards
- Will go places that are impossible to get to, even with 4-wheel-drive
- Operates on terrain with slopes up to 30°
- Can make 90° turns
- Moves around obstacles with ease
- Buildings can be set in places that would otherwise be impossible  
(Mule delivery availability limited in some geographical areas)

**The Mule Versus Standard Delivery Equipment:**

- Approximately 15,000 pounds less weight in your yard
- Requires approximately 20" less height, making it easier to maneuver under overhead obstacles such as wires and tree branches



Your building is delivered to you completely finished and ready to use!  
(Assembly at your property is also available if you do not have access for us to deliver an assembled building.)  
We also have a large inventory of buildings in stock, available for immediate delivery.

**Dutch Barns Make Great Cabins!**

14 x 40 Dutch Barn with loft, porch and finished interior



**Two-Story Gambrel Buildings Also Available!**

**14 x 28 Two-story Gambrel Barn**

Set up for one-car garage.



**14 x 24 Two-story Gambrel Barn**

Set up for recreational cabin.

