THE TRADITIONAL GAMBREL BARN SERIES

12 x 20 Highwall Barn*



10 x 16 Dutch Barn*



10 x 14 Dutch Barn*




12 x 20 Dutch Barn*



Maximized Storage...

...Bona Fide Barn Appeal!

10 x 16 New England Dutch Barn*





All fiberglass doors have rubber door bumpers to protect your doors and building.



13-14. Double top wall plates, interlocking at corners.*



12. Double studded corners in wall framing.*

> 11. 5/8" coated engineered floor sheeting.*

Single-hung aluminum windows, complete with shutters and screens to keep out insects."



Pressure-treated floor joists.*

little or no bark. Spaced on 16"

centers for framing.*

Standard features on both heavy duty vinyl and heavy duty LP Smart Side Gambrel Barns.

GAMBREL BARN Heavy Duty Vinyl Series Features & Benefits 15. High quality kiln dried framing lumber with very few knots and

2. All shingles are installed with nails.*



1. GAF/ELK lifetime warranted Architectural Shingles.*



3. Shingle cuts extended past drip edge.*



4-5. Wood grain vinyl-coated aluminum trim with double-bent edges.



6. Stainless steel butt hinges.



7. Fiberglass entry door with keyed lock (standard on vinyl buildings).

Features:

1. GAF / ELK lifetime warranted architectural shingles.

- 2. All shingles are installed with nails.
- 3. Shingle cuts extended past drip edge.
- 4. Woodgrain vinyl-coated aluminum trim.
- 5. Aluminum trim with double-bent edges.
- 6. Stainless steel butt hinges.
- 7. Fiberglass entry door (standard on vinyl buildings).
- 8. Lifetime warranted Vinyl siding made from 100% Virain PVC with no additives for fillers.
- 9. All structural components are fastened with nails.
- 10. Pressure-treated floor ioists.
- 11. 5/8" coated engineered floor sheeting.
- **12.** Double studded corners in wall framing.
- 13. Double plated top wall plates.
- **14.** Interlocking top wall plates at corners.
- **15.** *High quality* kiln dried framing lumber with very few knots and little or no bark. Spaced on **16" centers** for framing.

Yes There IS a Difference!


Compare to Other Manufacturers

- 1. Three-tab shingles with 25 or 30 year warranty, or architectural shingles with lesser sealing qualities, lesser warranties and quality of shingles.
- 2. Shingles installed with staples.
- 3. Shingles cut flush with the end of the drip edge. As shingles age they will shrink, exposing the drip edge to rain and snow. When this happens, water will run underneath your shingles and rot out your roof.
- 4. Flat painted aluminum trim with no wood grain.
- **5.** Edges with no bends that have no protection against buckling.
- 6. Steel T-hinges that are screwed to the face of the door. These hinges will eventually run rust streaks down over the face of your door.
- 7. A wood door covered with vinyl siding or a steel entry door. A steel entry door is very easy to dent and if scratched it is impossible to touch up so that it cannot be seen. Steel doors also have exposed wood around the sides which will eventually rot.
- 8. Many vinyl sidings on the market use fillers such as sand or other by-products to reduce the amount of resins needed to make the siding. This is why many vinyl sidings fade after installation.
- 9. Staples are commonly used for many construction applications.
- 10. Regular kiln-dried 2x4 floor joists.
- 11. Regular plywood or OSB floor sheeting with no manufacturer's warranties.
- 12. Single-studded corners.
- 13. Single-plated top wall plates.
- 14. Wall plates are just butted together and toe-nailed.
- 15. Lower quality lumber that has not been properly dried will crack, twist or bow as it dries out. Improperly dried wood will also grow mold and fungus.

Features Benefits:



- 1. GAF / ELK is the best sealing and highest quality shingle we have ever used. The lifetime architectural shingle adds beauty and an extended life to your roof This shingle has great wind resistance.
- 2. Shingles installed with nails have a much better holding power and a greater wind resistance.
- 3. Shingles that are extended past the roof edges allow for shrinkage and preserve your building for decades of use. Shingles on all Pine Creek Structures heavy duty storage sheds are installed with nails.
- 4. Beautiful woodgrain vinyl coating; has better fade resistance; is thicker and more rigid, making it buckle-resistant and impact-resistant.
- 5. Double-bent trim edges have twice the strength, keeping trim more rigid, protecting it from buckling, and providing stronger wind resistance.
- 6. Stainless steel will never rust. The screws are concealed, making the door burglar-resistant. No screw holes in the face of the door.
- 7. Fiberglass doors are the most durable doors on the market. Fiberglass doors have a high impact resistance. If ever scratched, they can easily be touched up. Has a beautiful raised panel woodgrain appearance. They will never rust, and all edges are sealed with no wood exposed to the elements. The interior core of the door is insulated with spray foam insulation.
- 8. You get the peace of mind that your shed has one of the best vinyl sidings on the market. This 100% PVC product is guaranteed not to fade as it ages. It has one of the better wind load and impact resistance ratings on the market.
- 9. Nails offer more holding power and ensure that your structure will stay as secure as the day it was built.
- 10. Pressure-treated floor joists add many years of rot-free and termite-resistant protection to your floor. Your building will only last as long as the foundation it is built on.
- 11. 5/8" engineered sheeting gives you added support needed for riding mowers, ATV's and other heavy storage. This is a solid compressed product, unlike plywood, which may have voids in the plys, causing weak spots or delamination in the floor. The coated overlay gives you a clean appearance and makes cleanup jobs much easier.
- 12. Ensures you extra strength and stability at the corners of your structure.
- 13. Strengthens the walls at a crucial structural point. Keeps your walls from bowing out and ensures that your roof will not sag or bow.
- 14. The wall plate corners fit together snug like a puzzle, then are nailed thru the top plate into the bottom plate. This ensures you a rock-solid corner joint that will not
- 15. All wood used is guaranteed to be structurally sound. The inside of your building will have a clean appearance. You will see very little, if any imperfections on the lumber. We guarantee termite-free and mold-free wood. 2x4's are spaced on 16" centers for a solid structure.



components with nails.* 6-YEAR

Top-to-Bottom

WARRANTY

9. All structural are fastened

Shown: 10 x 14 Dutch Barn

8. Lifetime warranted Vinyl siding

made from 100% Virgin PVC

with no additives for fillers.

Featuring artisan clay vinyl siding, green trim, clay fiberglass double doors, green shutters, and green shingle roof.



15. High quality kiln dried framing lumber with very few knots and little or no bark. Spaced on 16" centers for framing.*



13-14. Double top wall plates, interlocking at corners.*



12. Double studded corners in wall framing.*

> 11. 5/8" coated engineered floor sheeting.*

10. Pressure-treated floor joists.*



GAMBREL BARN

with shutters and screens to keep out insects. (Please specify shutter style—3-board or Z-shutter)*

8. LP Smart Side with a 50-year warranty

and face defects. This product has a

8a. Siding panels are factory pre-primed.

Shown: 12 x 20 Dutch Barn

Featuring pc clay LP Smart Side

and charcoal shingle roof.

siding, white trim, black 'Z' shutters,

Also shown with optional shingle-

over ridge vent and ramp system.

coated finish on the interior side.

Available in 22 colors.

against splitting, cracking, delamination,

2. All shingles are installed



3. Shingle cuts extended past drip edge.*





5. Two coats of high quality against peeling, fading, or blistering.





7. 2x4 door frames, set on edge

eave side over doors.



9. All *structural components* are

Available in 22 colors.

fastened with nails. All exterior nails are *galvanized* to ensure no rust spots on the exterior of the building.

8a. Siding panels are factory pre-primed.

Features:

2. All shingles are installed with nails.

3. Shingle cuts **extended** past drip edge.

5. 2 coats of high quality latex paint with

6. Continuous aluminum piano hinge.

7. 2 x 4 door frames, set on edge for

8. LP Smart Side with a 50-year warranty

and face defects. This product has a

coated finish on the interior side.

against splitting, cracking, delamination,

12-year warranty against peeling, fading,

1. GAF / ELK lifetime warranted

4. 3" **roof overhang** on eave side

architectural shingles.

over double doors.

or blistering.

better support.

10. Pressure-treated floor joists.

11. 5/8" coated engineered floor sheeting.

12. Double studded corners in wall framing.

13. Double plated top wall plates.

14. *Interlocking* top wall plates at corners.

15. *High quality* kiln dried framing lumber with very few knots and little or no bark. Spaced on **16" centers** for framing.

Yes There IS a Difference!

Compare to Other Manufacturers

- 1. Three-tab shingles with 25 or 30 year warranty, or architectural shingles with lesser sealing qualities, lesser warranties and quality of shingles.
- 2. Shingles installed with staples.
- 3. Shingles cut flush with the end of the drip edge. As shingles age they will shrink, exposing the drip edge to rain and snow. When this happens, water will run underneath your shingles and rot out your roof.
- 4. Roof edge flush or with no overhang.
- 5. Lesser quality paints that may not have fade resistant qualities or warranties.
- 6. Steel T-hinges that will eventually rust.
- 7. 2 x 3 or 2 x 4 door frames laid flat. In some cases, no door frames.
- 8. Regular plywood-type T-111 with a non-coated exterior finish. As this product ages, it will actually wick moisture, causing separation and delamination to the entire panel.
- 8a. Unprimed exterior siding products.
- 9. Staples are commonly used for many construction applications.
- 10. Regular kiln-dried 2x4 floor joists.
- 11. Regular plywood or OSB floor sheeting with no manufacturer's warranties.
- 12. Single-studded corners.
- 13. Single-plated top wall plates.
- **14.** Wall plates are just butted together and toe-nailed.
- 15. Lower quality lumber that has not been properly dried will crack, twist or bow as it dries out. Improperly dried wood will also grow mold and fungus.

1. GAF / ELK is the best sealing and highest quality shingle we have ever used. The lifetime architectural shingle adds beauty and an extended life to your roof This shingle has great wind resistance.

Features Benefits:

- 2. Shingles installed with nails have a much better holding power and a greater wind resistance.
- 3. Shingles that are extended past the roof edges allow for shrinkage and preserve your building for decades of use. Shingles on all Pine Creek Structures heavy duty storage sheds are installed with nails.

Discover the

VALUE!

- 4. Protects against door and trim rot by preventing rain from entering the top of the doors, and by preventing ice or snow build-up above doors.
- 5. Nobody likes to paint! Our coatings will last years longer than most of the latex paints on the market today. You have the peace of mind of knowing that your building will keep its original beauty for many years.
- 6. The piano hinge has continuous support along the entire door. It is fully aluminum and will never rust. Unlike T-hinges, the fasteners are covered by trim, making it burglar-resistant.
- 7. 2 x 4's set on edge will keep your doors rigid, discouraging the top of your doors from bowing out and being open to the elements, and also keeping the bottom of doors tight to discourage entry of unwelcome critters.
- 8. LP SmartSide is designed to withstand many years of exposure to the environment (50 year warranty). With a warranty like this you can't go wrong! This is an engineered product with zinc borate treatment (a long-acting treatment against moisture, mold and termites). The interior of this siding has a coating which gives your interior a consistent appearance.
- 8a. Factory pre-primed panels add another layer of protection against Mother Nature. It also improves the quality of paint finish on your building.
- 9. Nails offer more holding power and ensure that your structure will stay as secure as the day it was built.
- 10. Pressure-treated floor joists add many years of rot-free and termite-resistant protection to your floor. Your building will only last as long as the foundation it is built on.
- 11. 5/8" engineered sheeting gives you added support needed for riding mowers, ATV's and other heavy storage. This is a solid compressed product, unlike plywood, which may have voids in the plys, causing weak spots or delamination in the floor. The coated overlay gives you a clean appearance and makes cleanup jobs much easier.
- 12. Ensures you extra strength and stability at the corners of your structure.
- 13. Strengthens the walls at a crucial structural point. Keeps your walls from bowing out and ensures that your roof will not sag or bow.
- 14. The wall plate corners fit together snug like a puzzle, then are nailed thru the top plate into the bottom plate. This ensures you a rock-solid corner joint that will not separate.
- 15. All wood used is guaranteed to be structurally sound. The inside of your building will have a clean appearance. You will see very little, if any imperfections on the lumber. We guarantee termite-free and mold-free wood. 2x4's are spaced on 16" centers for a solid structure.



9. All structural components are

fastened with nails. All exterior

no rust spots on the exterior of

6-YEAR

Top-to-Bottom

WARRANTY

nails are galvanized to ensure

the building.

Standard features

vinyl and heavy

Gambrel Barns.

on both heavy duty

duty LP Smart Side

Single-hung aluminum windows, complete

- 1. GAF/ELK lifetime warranted Architectura Shingles.*
- with nails.*

4. Three-inch roof overhang on



latex paint with 12-year warranty



6. Continuous aluminum piano hinge



for better support

GAMBREL BARN SERIES MINI BARN

Mini Barns include 1 double door and 1 window (18" x 23"). (Single 36" entry door with 6' wide buildings) This series is built to our heavy duty specs. (For a lighter built, more economically priced unit, refer to our Madison Series).



Shown at left: 10 x 12 Heavy Duty Mini Barn Featuring beige LP Smart Side siding, chestnut trim, and barkwood shingle roof. (Window in back.)

Shown at left: 10 x 12 Heavy Duty Mini Barn Featuring classic sand vinyl siding, artisan clay trim, and shakewood shingle roof. Also shown with optional

12" x 12" gable end

(Window in back.)

GAMBREL BARN SERIES HIGHWALL BARN

Highwall Barns are not quite as tall as Dutch Barns, but still give you plenty of room for overhead storage.

70" Interior Wall



Highwall Barns include 1 double door and 1 window (18" x 23"). (Doors only available in gable end. Single 36" entry door with 6' wide buildings). This series is built to our heavy duty specs. (For a lighter built, more economically priced unit, refer to our Madison Series).

Shown at left: 12 x 20

Highwall Barn Featuring coffee brown polyurethane on LP Smart Side siding, dark brown trim and shutters, and barkwood shingle roof. (Window in back.) Also shown with optional shingleover ridge vent.

GAMBREL BARN SERIES **DUTCH BARN**

With an arch-type roof truss system, Dutch Barns (aka Workhorse of Storage) offer you the most cubic storage inches for your investment. 76" tall walls accommodate hanging tools or bikes along the sides. Wall space can also be utilized by installing optional shelving for smaller items

An additional 42" of storage space is available in the rafters, which is great for ladders or lumber storage. We can also install overhead lofts, which are great for storing seasonal items (winter tires, pool supplies, seasonal ornaments, old files) and all that other good stuff you may use someday!

Shown at right:

tional double door.

Dutch Barns include 1 double door and 2 windows (18" x 36"). Doors can be placed either on gable end or side wall. This series is built to our heavy duty specs. (For a lighter built, more economically priced unit, refer to our Madison Series).



Shown above: 10 x 14 Dutch Barn Featuring pc clay LP Smart Side siding, white trim, black 'Z' shutters, and charcoal shingle roof. Also shown with optional shingle-over ridge vent.



Shown at left:

12 x 16 Dutch Barn

Featuring driftwood polyurethane on LP Smart Side siding, white trim, white shutters, and oyster grey shingle roof. Also shown with optional gable end vents.





Featuring artisan clay vinyl siding, dark brown trim, clay fiberglass double doors, brown shutters, and barkwood shingle roof. Also shown with optional shingle-over ridge vent.



Shown above: 12 x 24 Dutch Barn

Featuring artisan clay vinyl siding, red trim, clay fiberglass double doors, red shutters, and charcoal shingle roof. Also shown with optional additional 36" fiberglass single door.



Shown above: 12 x 24 Dutch Barn

Featuring graphite grey vinyl siding, white trim, graphite grey fiberglass doors, black raised-panel shutters, and charcoal shingle roof. Also shown with optional shingle-over ridge vent and diamond tread plates.



Shown at left: 12 x 20 Dutch Barn

Featuring coffee brown polyurethane LP Board 'N' Batten Smart Side siding, beige trim and shutters, and barkwood shingle roof. (New England trim package and hardware included standard on LP Board 'N' Batten Smart Side models.) Also shown with optional shingle-over ridge vent and additional 36" single entry door.




Shown above: 10 x 16 New England Dutch Barn Featuring redwood polyurethane on LP Smart Side siding, Navajo white trim, Navajo white shutters, and shakewood shingle roof. Also shown with optional New England Package (transom windows, wide trim, etc) and shingle-over ridge vent.



Shown above: 10 x 14 Dutch Barn

Featuring white LP Board 'N' Batten Smart Side siding, light grey trim, black shutters, and charcoal shingle roof. (New England trim package and hardware included standard on LP Board 'N' Batten Smart Side models.) Also shown with optional shingle-over ridge vent, cupola, and weathervane.



GAMBREL BARN SERIES **NEW ENGLAND DUTCH BARN**

Dutch Barns include 1 double door and 2 windows (18" x 36"). Doors can be placed either on gable end or side wall. This series is built to our heavy duty specs. (For a lighter built, more economically priced unit, refer to our Madison Series).

A step up in class from the standard Dutch Barn, the New England Dutch Barn style has neat eye appeal. The upgraded features include transom windows in the doors, antique-style hinges, wide gable face board, and wider trim overall.



Shown at left: 10 x 16 **Dutch Barn** Featuring pc clay LP Smart Side siding, white trim, black 'Z' shutters, and charcoal shingle roof. Also shown with optional New England Package (transom windows, wide trim, etc) and shingle-

over ridge vent.



Shown above: 12 x 24 New England Dutch Barn Featuring beige LP Smart Side siding with pc clay trim & doors. avocado shutters, and weatherwood shingles. Also shown with optional 12" x 16" arch-top wood gable vents, extra 36" single door with transom window, and diamond plate tread at doors.

DUTCH BARN ORGANIZER PACKAGE DUTCH BARN SPACE SAVER/

More than Double Your Square Footage Storage Area



12 x 20 Organizer Package Includes Over 300 Square Feet of Shelving and Lofts! (Available in any siding type.)

WORKSHOP COMBO

Ever Dream of an Organized Workshop?



12 x 20 Dutch Barn Spacesaver/ Workshop Combo Package

Featuring coffee brown polyurethane on LP Smart Side siding, red trim, red 'Z' shutters, and barkwood shingle roof. Also shown with optional shingle-over ridge vent and space saver/workshop package.

with pegboard and shelves installed above workbench

Two 4 ft. lofts

(One at each end)

Three 24" wide

shelves on one end

and around corner

to workbench

19 feet of workbench

12 x 20 Space Saver/Workshop Combo Includes Over 232 Square Feet of Shelving and Lofts, Plus 19' of Workbench (Available in any siding type.)

Space Saver /Workshop Combo

GAMBREL BARN SERIES YOU DREAM IT -WE BUILD IT:



These interior photos show just a few of the possibilities!





The Possibilities are Endless With Any Building Style!

Dutch Barns can be designed for any use you can imagine, including general storage, man caves, getaway cabins, workshops, garages, clubhouses, concession stands, pet shelters, ATV/golf cart storage, home office, or sales office. Design your own combination of any of the above!

Choose your colors and layout at no additional charge. Door and window placement can also be changed at no extra cost.

We can install shelving, lofts, workbenches, and pegboard. Various electrical packages are available for any structure.

Shelves and lofts are an inexpensive alternative to substantially increase your storage capacity, and keep your storage structure or workshop organized.

Many upgrades are available, including additional doors, larger doors, garage doors, additional windows, larger windows, venting choices, ramps, floor edge protectors in doorways, insulation, interior finishing, and much more. Your sales representative will be able to help you design your building for your use requirements.

Shown at left:

10 x 16 Dutch Barn

Featuring classic sand vinyl siding, clay trim, and weatherwood shingle roof. Also shown with optional extra double door, larger 18" x 36" windows, ramp, and two gable vents.



Shown above: 10 x 16 Custom Dutch Barn

Featuring classic sand vinyl siding, white trim, classic sand fiberglass single door, white shutters, and weatherwood shingle roof. Also shown with optional diamond tread plates, white 6' overhead door, and 12" x 12" gable end vents.



Shown above: 10 x 20 Southern Belle Barn Featuring log siding with clear stain, green doors and windows, and dark green

shingles. Also shown with optional partial stone front, 10' gambrel style dormer, carriage house doors, arch-top windows with wooden sash, and arch-top wood vents.



Shown above: 12 x 32 Dutch Barn Featuring LP Smart Side siding with charcoal stain, red trim, and red metal roof. Also shown with optional porch, barn timber gable facade, and double windows.

package.

GENERAL

Delivered fully finished, ready to use, to your specifications and color choices.



Discover the VALUE!

1. Framing Specs:

All framing components are made of high quality, kiln dried 2x4's to ensure that your framing lumber will not twist or bow. We guarantee clean, termite-free and mold-free wood, with a beautiful appearance. All framing on our heavy duty buildings consists of 2x4's spaced on 16" center for walls and roof (with the exception of the walls on board 'n' batten sided buildings, where 2x4's run horizontally on 24" centers).

2. Roof Sheathing:

Standard roof sheathing is 7/16" OSB or 1/2" CDX plywood. (Standard product will vary by sales location). You have a choice of which product you want installed on your roof.

3. Shingle Roof:

Choose from 7 standard colors, or exact matching is also available. Architectural shingles are standard, and carry a lifetime warranty. Drip edge is used on all roof edges. (We recommend adding a ridge vent to eliminate fumes and intense heat buildup in the roof of your structure). We also offer metal roofing.

4. Exterior Sheathing/Siding Combination:

For T-111 buildings: Our standard wall sheathing/siding for T-111 style buildings is LP Smart Side® which carries a 50-year warranty against splitting, cracking, or delamination. We recommend this product for durability. Available in 22 colors. (Standard product will vary by sales locations. Ask your sales rep which product is best for your application.)

5. Wall Sheathing:

For vinyl, cedar, or log-sided buildings: Our standard wall sheathings (underneath these siding applications) are 7/16" OSB or 1/2" CDX plywood.

(Standard product will vary by sales location. You have a choice of which product you want installed underneath your siding.)

6. Vinvl Siding:

Standard vinyl siding (4 1/2" Dutch lap) carries a lifetime manufacturer's warranty. Available in 8 standard colors and 12 optional colors. You also have the option of exactly matching your house siding.

7. Wood Siding:

Many Colors Available

(See color chart for color availability)

Board 'n' Batten, log, and cedar siding comes with 5 stain choices. Normal aging/ weathering of natural wood products will

occur, resulting in visible cracks in the siding over time. (This is not covered under our Top-To-Bottom warranty.)

8. Windows:

LP Smart Side® and vinyl-sided buildings are standard with aluminum single-hung windows with screens.

(Shutters are standard with all aluminum windows). Standard window size choices are 18" x 23" or 18" x 36".

Board 'n' Batten, log-sided and cedar-sided buildings are standard with rustic handmade wood square-top windows. (Wood windows do not include shutters). Window size choices are 25" x 28" or

9. Doors:

All wood-sided buildings (LP Smart Side[®], Board 'n' Batten, Cedar, or Log) include doors with matching siding. All vinyl-sided buildings are standard with a fiberglass raised-panel door.

Standard door sizes:

24" x 36" single-hung.

6' wide building-36" 8' wide building-48"

10' wide building-60"

12 & 14" wide buildings-72"

(Doors and windows can be placed wherever you prefer at no additional cost.)

*Sheds shown on Front Page:

10 x 16 New England Dutch Barn

Featuring redwood polyurethane on LP Smart Side siding, Navajo white trim, Navajo white shutters, and shakewood shingle roof. Also shown with optional New England Package (transom windows, wide trim, etc), shingle-over ridge vent, cupola, and weathervane.

12 x 20 Highwall Barn

Featuring coffee brown polyurethane on LP Smart Side siding, dark brown trim and shutters, and barkwood shingle roof. (Window in back.) Also shown with optional shingle-over ridge vent.

10 x 16 Dutch Barn

Featuring light grey LP Smart Side siding, white trim, black 'Z' shutters, and charcoal shingle roof. Also shown with optional diamond tread plate and shingle-over ridge vent

10 x 14 Dutch Barn


Featuring warm sandalwood vinyl siding, white trim, warm sandalwood fiberglass double doors, black raised-panel shutters, and charcoal shingle roof. Also shown with optional shingle-over ridge vent.

12 x 20 Dutch Barn

Featuring artisan clay vinyl siding, red trim, clay fiberglass double doors, red shutters, and charcoal shingle roof. Also shown with optional additional 36" fiberglass single door.

SHED DELIVERY MULE

Ask your sales rep about the shed delivery mule if you are concerned about property damage caused by the delivery truck and trailer, or tight access where a truck may be unable to go.



Mule Facts:

- Minimizes yard damage, even in wet yards
- Will go places that are impossible to get to, even with 4-wheel-drive
- Operates on terrain with slopes up to 30°
- Can make 90° turns
- Moves around obstacles with ease
- Buildings can be set in places that would otherwise be impossible (Mule delivery availability limited in some geographical areas)

The Mule Versus Standard Delivery Equipment:

- Approximately 15,000 pounds less weight in your yard
- Requires approximately 20" less height, making it easier to maneuver under overhead obstacles such as wires and tree branches

Your building is delivered to you completely finished and ready to use!

(Assembly at your property is also available if you do not have access for us to deliver an assembled building.) We also have a large inventory of buildings in stock, available for immediate delivery.


Two-Story Gambrel Buildings Also Available!

Dutch Barns Make Great Cabins!

14 x 40 Dutch Barn with loft, porch and finished interior



12 x 28 Two-Story Gambrel Barn



14 x 32 Two-Story Gambrel Barn With added options for recreational cabin use







Vinyl

LP Smart Side

(Also available in Horizontal Shiplap)











Cedar